

Haier
Inspired living

-40°C Deep Freezer



Haier Medical and Laboratory Products Co., Ltd

Room 403D, Brand Building, Haier industrial park, No. 1
Haier Road, Qingdao, China (266101)
Tel: +86-0532-88936011 / 5955
Website: www.haiermedical.com



Note: If slight difference occurs between pictures and actual products, please refer to actual products. Our company reserves the right of final interpretation to this brochure and please contact with us for future information you might need.

2012-11

ECO LIFE

Leading Solution
to Life Science

SMARTER LIFE

BETTER PLANET

Haier Medical and Laboratory Products Co., Ltd

Large capacity, excellent deep temperature performance, 8 ergonomic designs
Integrative Design of Evaporator and Shelves Faster Temperature Dropping

This product is designed to store vaccines, blood plasma, biological materials etc. Applications could be found in the electronic and chemical laboratories epidemic prevention, hospitals, animal husbandry areas, blood banks and research institutes

1 Performance

- Temperature adjustable range: -20°C--40°C
- Microprocessor control, digital display of temperature
- Imported high efficiency Compressor, CFC-free Refrigerant
- Germany EBM Fan, high density insulation foam
- Evaporator and Condenser system, guarantee freezing efficiency and uniformity of temperature
- Ergonomic design, more reliable and easy to operate
- High density insulation foam

2 Safety System

- Multiple alarm functions: Higher or lower temperature alarm, sensor malfunction alarm, power off alarm
- Two kinds of alarm indicators : Audible buzzing alarm, visual flashing alarm
- Start up delay protection



3 Ergonomic Design

- Double doors design with lock respectively
- Ingenious design of lock, double padlock, providing more safety and reliable
- Door handle, easier to open and close
- Drawer, more convenient to use
- Broad voltage tolerance design, applicable for voltage range 198v~238v
- LED digital display for easy observation
- Equipped with lockable casters, easy to move



Specification

Item Code	DW-40L508
Capacity(L)	490
Voltage/Frequency	220/50 220/60
Power(W)	430
Temp.range(°C)	-20--40
Big/Small Drawer	4/6
Cabinet	Upright
Interior Dimensions(mm)(W*D*H)	685*650*1228
Exterior Dimensions(mm)(W*D*H)	895*840*1860
Packing Dimensions(mm)(W*D*H)	965*945*2040
Net/gross Weight(kg)	164/170
Container Load(sets) 20'/40'/40'H	12/24/24
Certificate	CE



-40°C Deep Freezer

-40°C Deep Freezer



Item Code	DW-40L92	DW-40L188	DW-40L262	DW-40L508	DW-40L626	DW-40W100	DW-40W255	DW-40W380
Capacity(L)	92	188	262	508	626	100	255	380
Voltage/Frequency	220/50	220/50	220/50 220/60	220/50 220/60	220/50	220/50	220/50	220/50 220/60
Power(W)	220	290	340	430	700	260	410	550
Temp.range(°C)	-10--40	-10--40	-10--40	-20--40	-20--45	-20--40	-20--40	-20--40
Drawer/Shelve	3/-	7/-	7/-	10/-	/3	/	/	/
Cabinet	Upright	Upright	Upright	Upright	Upright	Chest	Chest	Chest
Interior Dimensions(mm)(W*D*H)	465*440*645	380*420*1225	480*465*1430	685*650*1228	760*630*1310	500*385*625	1040*430*605	1376*457*625
Exterior Dimensions(mm)(W*D*H)	597*610*860	597*610*1475	657*685*1665	895*840*1860	1035*900*1980	680*600*805	1243*633*838	1550*633*838
Packing Dimensions(mm)(W*D*H)	659*699*934	659*699*1548	732*745*1756	965*945*2040	1072*954*2130	735*645*855	1310*750*880	1630*755*880
Net/gross Weight(kg)	46/51	63/71	88/93	164/170	298/314	43/46	69/81	82/89
Container Load(sets) 20'/40'/40'H	54/108/108	27/54/54	24/48/48	12/24/24	12/24/24	54/108/162	24/54/81	18/42/63
Certificate	/	/	CE	CE	/	/	CE	CE



2~8°C/-20~-40°C
Pharmaceutical Refrigerator with Freezer

2~8°C/-20~-40°C Refrigerator with Freezer

Refrigerator & Freezer Combination, Separately Control

- 1 Excellent Performance**
 - Refrigerator 2-8°C, freezer -20~-40°C
- 2 Reasonable Structure**
 - Large refrigerator; stainless steel, arch out door for convenient clean
- 3 Key Function**
 - USB interface, automatically record the temperature in one month
 - Separate display of refrigerator and freezer, easy observation
 - Remote alarm and monitor in internet (optional)
 - Divisible drawers and shelves for different items storing
 - Multi-malfunction alarms, precautionary alarm



Specification

Item Code	HYCD-282	HYCD-282A
Capacity(L)	Refrigerator 185 Freezer 97	Refrigerator 185 Freezer 97
Voltage/Frequency	220/50	220/50 220/60
Power(W)	400	400
Temp.range(°C)	2-8/-20~-40	2-8/-20~-40
Shelves/Drawer	3/3	3/3
Cabinet	Upright	Upright
Interior Dimension(mm)(W*D*H)	Refrigerator:605*510*720 Freezer:515*465*440"	Refrigerator:605*510*720 Freezer:515*465*440"
Exterior Dimensions(mm)(W*D*H)	736*660*1810	736*660*1810
Packing Dimensions(mm)(W*D*H)	875*770*1920	875*770*1920
Net/gross Weight(kg)	145/160	145/160
Container Load(sets) 20'/40'/40'H	12/26/26	12/26/26